



body

LySonix[®] 3000, the next generation of precision ultrasound now features a new dimension of control:

- Continuous or PulseSelect[™] energy modes
- Two handpiece styles including the new FineLine[™] micro handpiece
- Probe tips for both handle systems include solid or hollow styles

Systems and Accessories - LySonix[®] 3000



Catalog #	Description		
3000S	LySonix [®] 3000 Ultrasonic System with PulseSelect [™]		
3000SMS	LySonix [®] 3000 Ultrasonic System with PulseSelect [™] Micro System		
3000G	LySonix [®] 3000 Generator with PulseSelect [™]		
3000SHP	LySonix [®] 3000 Handpiece with Cable		
3000MHP	LySonix [®] 3000 Micro Handpiece with Cable		
3000M-32	Micro Wrench Set		
2010-20	Cleaning Brushes (10 Each, 2 Sizes)		
2010-30	Probe Tray		
2010-31	Brush Set for Probes		
2010-32	Standard Wrench Set		
2010-50	Footswitch with Cable (For Generator, Irrigator, Aspirator)		
2010-55	10' Power Cord (For Generator, Irrigator, Aspirator)		
2010-60	Transportation Case		
3000M-210BTS	FineLine [™] , Solid, Micro Cannula	2mm	10cm
3000M-220BTS	FineLine [™] , Solid, Micro Cannula	2mm	20cm
3000M-310BTH	FineLine [™] , Hollow, Micro Cannula	3mm	10cm
3000M-3520BTH	FineLine [™] , Hollow, Micro Cannula	3.5mm	20cm
5510-420	Bullet Tip, Solid, Probe	4mm	20cm
5510-430	Bullet Tip, Solid, Probe	4mm	30cm
5510-530	Bullet Tip, Solid, Probe	5mm	30cm
5610-430	Round Tip, Hollow, Probe	4mm	30cm
5610-530	Bullet Tip, Hollow, Probe	5mm	30cm
5620-420	Golf Tip, Hollow, Probe	4mm	20cm
5620-530	Golf Tip, Hollow, Probe	5mm	30cm
5050-530-6	Ultra Sonic Probes Sleeves (for 5x30 Probes)		



Aspiration platform and systems known worldwide for versatility and performance.

- Responsive power needed for demanding procedures
- Ultra-quiet with double isolated motors for reduced sound
- Multiple system options for versatility

Aspiration Systems and Accessories - PSI-TEC III™



Catalog #	Description
PSI-TEC III™ Aspiration Platform	
The PSI-TEC III™ Aspiration Platform incorporates high flow vacuum technology and a compressed air supply for infiltration and power-assisted modules.	
PT-PLT-III-110	PSI-TEC III™ Aspiration Platform (Includes Aspirator, Pneumatic Power Source, I.V. Pole and Bar System with Bag Hangers, Dual Canister Holder, (2) Reusable Canisters, (5) PSI-TEC Total Aspiration Kits, Power Cord, Foot Pedal)
PSI-TEC III™ Aspirator	
The ultra-quiet PSI-TEC III™ Aspirator offers the most powerful and responsive vacuum among our collection.	
PT-ASP-III-110	PSI-TEC III™ Aspirator (Includes Aspirator, I.V. Pole and Bar System with Bag Hangers, Dual Canister Holder, (2) Reusable Canisters, (5) PSI-TEC Total Aspiration Kits, Power Cord, Foot Pedal)
Accelerator II™ Aspirator	
The classic design of the Accelerator II™ Aspirator allows for convenient placement and storage, while offering quiet vibration free performance during demanding procedures.	
ASP II	Accelerator™ II Aspirator (110 Volt)
PT-III-RAIL	PSI-TEC III™ Rail
PT-III-SHELF	PSI-TEC III™ Tray for IV Pole with Clamp
PT-III-CLIP	PSI-TEC III™ Clip for Rail (Canister Bracket)
CN2000-FT	Reusable 2000cc Canister
SCREW-FT	Hollow Screw & Washer for CN2000-FT
CN-FLEX-T	Flexible "T" Fitting with 3/8" Tubing Connectors
CN-MOUNT	Mounting Bracket for Accumeasure Canister
AB43426	Wire Basket for IP™ Canister
AB43429	PSI-TEC III™ Dual Canister Basket Holder

PSI-TEC III™

Cannulae options range from a standard one-piece style to two piece configurations like the Syringe Toomey System or the ARC™ System for traditional or power assisted suction.

Cannula Products - Cannula Style Descriptions

The various tip designs are available in different lengths, diameters and handle sizes to accommodate a broad range of surgical sites and reduce surgeon fatigue.



Accelerator III™
Three openings in a triangular pattern. Our most popular tip design.



Accelerator "Touch-Up"™
Similar to the Accelerator III™, the Touch-Up™ features two openings at the distal tip as shown.



Becker™
Riblike projections facilitate breakdown of tissue prior to aspiration, increasing speed and efficiency in a wide range of procedures.



Becker Tear Drop™
Similar to the Becker, with proximally flared ribs, additional round openings.



Candy Cane™
Features three elongated openings in a spiral as shown.



Fournier
Three openings in a linear pattern.



Gilliland Etching Cannula
Four openings in a linear pattern. Distal end of each opening is raised for etching of subcutaneous tissue.



Keel Cobra™
V-shaped design allows easy penetration and unprecedented efficiency and control. Two side openings near the tip and a single hole positioned above.



Keel Cobra II™
Grooved laterally for improved guidance and tissue ingress, the Keel Cobra II features side openings near the tip and a third proximal opening.



Las Vegas™
Similar to the Accelerator III, the Las Vegas employs a single distal opening with two proximal openings. Less aggressive at the tip. Ideal for feathering.



Mercedes
Featuring three openings in a circumferential pattern near the distal tip of the shaft.



Mladick™
The Mladick™ Convex Cannulae are designed for longitudinal work while our Mladick™ Concave Cannulae are designed for circumferential liposuction.



Sattler™
24 small openings surrounding distal tip.



Spatula
So named because of its flattened profile, the spatula cannula is ideal for cervical and facial procedures.



Standard
The cannula that started it all. One opening near the tip.

Cannula Products - One-Piece Cannulae (reusable)

Precision engineered surgical stainless steel cannula tips are coupled with hard-coated aluminum handles available in 7/8" and 5/8" diameters

	Catalog #	O.D.	Length		Catalog #	O.D.	Length		Catalog #	O.D.	Length
Accelerator III™	III215S	2 mm	15 cm	Becker™	BEC326L	3 mm	26 cm	Becker Tear Drop™	BECTD326L	3 mm	26 cm
	III226S	2 mm	26 cm		BEC426L	4 mm	26 cm		BECTD426L	4 mm	26 cm
	III315S	3 mm	15 cm		BEC432L	4 mm	32 cm		BECTD432L	4 mm	32 cm
	III326L	3 mm	26 cm		BEC526L	5 mm	26 cm		BECTD526L	5 mm	26 cm
	III326S	3 mm	26 cm								
	III332L	3 mm	32 cm	Candy Cane™	CCC326L	3 mm	26 cm	Fournier	FOU315S	3 mm	15 cm
	III336L	3 mm	36 cm		CCC332L	3 mm	32 cm		FOU326L	3 mm	26 cm
	III415S	4 mm	15 cm		CCC426L	4 mm	26 cm		FOU415S	4 mm	15 cm
	III426L	4 mm	26 cm		CCC432L	4 mm	32 cm		FOU426L	4 mm	26 cm
	III432L	4 mm	32 cm		CCC526L	5 mm	26 cm		FOU432L	4 mm	32 cm
	III436L	4 mm	36 cm	Gilliland™ Etching Cannula	GEC320S	3 mm	20 cm	Keel Cobra™	KC315S	3 mm	15 cm
	III515S	5 mm	15 cm		GEC420S	4 mm	20 cm		KC326L	3 mm	26 cm
	III526L	5 mm	26 cm	Keel Cobra II™	KCII326L	3 mm	26 cm		KC415S	4 mm	15 cm
	III532L	5 mm	32 cm		KCII426L	4 mm	26 cm		KC426L	4 mm	26 cm
	III536L	5 mm	36 cm		KCII432L	4 mm	32 cm		KC432L	4 mm	32 cm
III626L	6 mm	26 cm	KCII526L		5 mm	26 cm	KC526L	5 mm	26 cm		
III632L	6 mm	32 cm	KCII532L		5 mm	32 cm					
			Keel Cobra™ Vented	KCII330L-V	3 mm	30 cm	Las Vegas™	LV315S	3 mm	15 cm	
				KCII336L-V	3 mm	36 cm		LV326L	3 mm	26 cm	
				KCII3.530L-V	3.5 mm	30 cm		LV415S	4 mm	15 cm	
				KCII3.536L-V	3.5 mm	36 cm		LV426L	4 mm	26 cm	
						LV432L		4 mm	32 cm		

- Powered by the PSI-TEC™ Aspiration Platform, ARC™ Reciprocating Cannulae Tips replicate the linear motion of the surgeon to move easily, even through dense, fibrous tissue
- Lightweight, reusable stainless steel Toomey tips and hubs are buffed and polished for long lasting performance

Cannula Products - One-Piece Cannulae (reusable) CONT'D

	Catalog #	O.D.	Length		Catalog #	O.D.	Length		Catalog #	O.D.	Length
Mercedes	MER215S	2 mm	15 cm	Mladick™	MLCON-315S	3 mm	15 cm	Spatula	SPA215S	2 mm	15 cm
	MER226S	2 mm	26 cm		MLCON-326L	3 mm	26 cm		SPA315S	3 mm	15 cm
	MER315S	3 mm	15 cm		MLCON-415S	4 mm	15 cm		SPA415S	4 mm	15 cm
	MER326S	3 mm	26 cm		MLCON-426L	4 mm	26 cm		SPA515S	5 mm	15 cm
	MER332L	3 mm	32 cm		MLCVX-315S	3 mm	15 cm		SPA615S	6 mm	15 cm
	MER336L	3 mm	36 cm		MLCVX-326L	3 mm	26 cm		Standard	STD315S	3 mm
	MER415S	4 mm	15 cm	MLCVX-415S	4 mm	15 cm	STD326L	3 mm		26 cm	
	MER426L	4 mm	26 cm	MLCVX-426L	4 mm	26 cm	STD415S	4 mm		15 cm	
	MER432L	4 mm	32 cm			STD426L	4 mm	26 cm			
	MER436L	4 mm	36 cm								
	MER515S	5 mm	15 cm								
	MER526L	5 mm	26 cm								
	MER532L	5 mm	32 cm								
	MER536L	5 mm	36 cm								
	MER626L	6 mm	26 cm								
	MER632L	6 mm	32 cm								

Cannula Products - ARC™ Cannula Tips for a Two-piece or Power-Assisted System (reusable)

ARC™ Cannulae Tips feature a Spin-tight connector that allows full adjustment of the cannula tip orientation.

	Catalog #	O.D.	Length		Catalog #	O.D.	Length		Catalog #	O.D.	Length
Accelerator III™	III226-ARC	2 mm	26 cm	Becker Tear Drop™	BECTD326-ARC	3 mm	26 cm	Mercedes	MER226-ARC	2 mm	26 cm
	III326-ARC	3 mm	26 cm		BECTD426-ARC	4 mm	26 cm		MER326-ARC	3 mm	26 cm
	III332-ARC	3 mm	32 cm	Candy Cane™	CCC426-ARC	4 mm	26 cm		MER332-ARC	3 mm	32 cm
	III336-ARC	3 mm	36 cm		CCC432-ARC	4 mm	32 cm		MER336-ARC	3 mm	36 cm
	III426-ARC	4 mm	26 cm		CCC526-ARC	5 mm	26 cm		MER426-ARC	4 mm	26 cm
	III432-ARC	4 mm	32 cm		CCC532-ARC	5 mm	32 cm		MER432-ARC	4 mm	32 cm
	III526-ARC	5 mm	26 cm	Keel Cobra II™	KCII326-ARC	3 mm	26 cm		MER526-ARC	5 mm	26 cm
	III532-ARC	5 mm	32 cm		KCII426-ARC	4 mm	26 cm		MER532-ARC	5 mm	32 cm
			KCII432-ARC		4 mm	32 cm					
			KCII526-ARC		5 mm	26 cm					
				KCII532-ARC	5 mm	32 cm					

Cannula Products - Toomey Tip Cannulae - Designed For Monoject® 60cc Toomey Syringe


The hub of the Toomey Tip Cannulae eliminates issues associated with syringe aspiration caused by the restrictive internal diameters of most syringes.

	Catalog #	O.D.	Length		Catalog #	O.D.	Length		Catalog #	O.D.	Length
Accelerator III™	III215-SYR	2 mm	15 cm	Becker™	BEC426-SYR	4 mm	26 cm	Fournier	FOU426-SYR	4 mm	26 cm
	III226-SYR	2 mm	26 cm		Keel Cobra™	KC426-SYR	4 mm		26 cm	Keel Cobra II™	KCII426-SYR
	III315-SYR	3 mm	15 cm	Las Vegas™		LV215-SYR	2 mm	15 cm	Mercedes		KCII526-SYR
	III326-SYR	3 mm	26 cm		LV315-SYR	3 mm	15 cm	MER215-SYR		2 mm	15 cm
	III332-SYR	3 mm	32 cm		LV326-SYR	3 mm	26 cm	MER226-SYR		2 mm	26 cm
	III415-SYR	4 mm	15 cm		LV426-SYR	4 mm	26 cm	MER315-SYR		3 mm	15 cm
	III426-SYR	4 mm	26 cm		LV432-SYR	4 mm	32 cm	MER326-SYR		3 mm	26 cm
	III432-SYR	4 mm	32 cm		Spatula	SPA215-SYR	2 mm	15 cm		MER332-SYR	3 mm
	III436-SYR	4 mm	36 cm	SPA315-SYR		3 mm	15 cm	MER336-SYR		3 mm	36 cm
	III526-SYR	5 mm	26 cm	SPA415-SYR		4 mm	15 cm	MER415-SYR		4 mm	15 cm
	III532-SYR	5 mm	32 cm	SPA515-SYR		5 mm	15 cm	MER426-SYR		4 mm	26 cm
	III626-SYR	6 mm	26 cm	Standard	STD315-SYR	3 mm	15 cm	MER432-SYR		4 mm	32 cm
	III632-SYR	6 mm	32 cm		STD415-SYR	4 mm	15 cm	MER436-SYR		4 mm	36 cm
					STD426-SYR	4 mm	26 cm	MER526-SYR		5 mm	26 cm
							MER532-SYR	5 mm		32 cm	
						MER626-SYR	6 mm	26 cm			
						MER632-SYR	6 mm	32 cm			



Syringe aspiration offers precise control over vacuum and is ideal for low volume aspiration and small touch ups.

- Snug Hub™ luer lock connectors
- Popular cannula tip styles
- Varied lengths and diameters

Cannula Products - Luer Lock Cannula Series

	Catalog #	O.D.	Length		Catalog #	O.D.	Length		Catalog #	O.D.	Length
Accelerator III™	BNIII323	3 mm	23 cm	Mercedes	BNMER223	2 mm	23 cm	Sattler™	BNSAT223	2 mm	23 cm
	BNIII330	3 mm	30 cm		BNMER323	3 mm	23 cm		BNSAT323	3 mm	23 cm
	MICRO-HAN	Luer Lock Aspiration Handle			BNMER330	3 mm	30 cm		BNSAT330	3 mm	30 cm

Cannula Products - Luer Lock Micro-Cannula Series

	Catalog #	O.D.	Length		Catalog #	O.D.	Length		Catalog #	O.D.	Length
Accelerator III™	BNIII	3 mm	9 cm	Accelerator "Touch-Up"™	BNTU-14	2 mm	9 cm	Becker™	BNBEC	3 mm	9 cm
	BNIII315	3 mm	15 cm		BNTU-16	1.6 mm	9 cm		Standard	BNSTD	3 mm
Mercedes	BNMER-14	2 mm	9 cm	Spatula	BNSP33	2 mm	9 cm	BNSTD-14		2 mm	9 cm
	BNMER	3 mm	9 cm		BNSP36	2 mm	15 cm			LL-LL 12 Luer Lock to Luer Lock Transfer System 12 gauge	
	BNMER215	2 mm	15 cm		BNSP43	3 mm	9 cm				
	BNMER315	3 mm	15 cm	TOM-LLN	3 mm	15 cm	Luer Lock Needle Adapter for 60 cc Toomey Syringes				



Snug Hub Connections

Rugged SNUG HUB™ luer lock connectors are standard, assuring a positive, rotation-free connection to either a syringe or the Micro Aspiration Handle.

- Toomey to luer lock transfer systems facilitate transfer of aspirant
- The ARC™ Reciprocating Cannula replicates the linear motion of the surgeon to move easily
- High quality cannula brushes for effective cleaning of cannula instrumentation, priced for disposability

Cannula Accessories - Toomey Syringes, Locks, Transfers, and Accessories



Catalog #	Description	Quantity
TOM-HAN	Toomey Power Aspiration Adapter Handle	EA
TOM-LLN	Transfer System - 60 cc Toomey To Luer Lock Needle	EA
TOM-LLS	Transfer System - 60 cc Toomey To Luer Lock Syringe	EA
60cc CAP	Toomey Syringe Cap	EA
SNAP 10cc	Reusable 10 cc Snapper (For Disposable Syringe)	EA
SNAP 20cc	Reusable 20 cc Snapper (For Disposable Syringe)	EA
SNAP 35cc	Reusable 35 cc Snapper (For Disposable Syringe)	EA
SNAP 50cc	Reusable 50 cc Snapper (For Disposable Syringe)	EA
SNAP TWIST	Reusable Twist Lock for 60 cc Disposable Syringe	EA
560S-T	60 cc Disposable Toomey Syringe – Sterile	20/Box

Cannula Accessories - ARC™ Reciprocating Cannula



ARC™ Handles

Catalog #	Description	Quantity
ARC-H II	Disposable Reciprocating Handpiece 1/2" Throw	4/Box
ARC-HAN-S	Small Threaded Handle	EA
ARC-HAN-L	Large Threaded Handle	EA

- Controlled release of fibrous tissue
- Accurate dissection
- Fast and efficient

Cannula Accessories - Dissectors and Underminers



Closed Neck Dissector

Catalog #	Description	Cannula Diameter	Tip Diameter	Shaft Length
CND-S	Closed Neck Dissector	3 mm	4 mm	15 cm
CND-M	Closed Neck Dissector	4 mm	6 mm	15 cm
CND-L	Closed Neck Dissector	6 mm	8 mm	15 cm



CR™ Dissector

Catalog #	Description	Cannula Diameter	Tip Diameter	Shaft Length
CR 2-26	CR™ Dissector with Small Handle	2 mm	4 mm	26 cm
CR 4-26	CR™ Dissector with 5/8" Aluminum Handle	4 mm	6 mm	26 cm



CRC™ Cannula/Dissector

Catalog #	Description	Cannula Diameter	Tip Diameter	Shaft Length
CRC 315HLLT	CRC™ Cannula with Infiltration Port	3 mm	5 mm	15 cm
CRC 326HLLT	CRC™ Cannula with Infiltration Port	3 mm	5 mm	26 cm
CRC 415HLLT	CRC™ Cannula with Infiltration Port	4 mm	6 mm	15 cm
CRC 426HLLT	CRC™ Cannula with Infiltration Port	4 mm	6 mm	26 cm



The Lockwood™ Underminer

Catalog #	Description	Length
LU383	Lockwood™ Underminer, 3 cm lift	38 cm
LU453	Lockwood™ Underminer, 3 cm lift	45 cm



UM-14™ Dissector/Underminer

Catalog #	Description	Length
UM-14	Injection Cannula with Flat Stiletto Blade	14 ga



The Wilkinson Rhytisector™

Catalog #	Description	Diameter	Length
UM-TS	Wilkinson Rhytisector™, Straight	5 mm	13.5 cm
UM-TC	Wilkinson Rhytisector™, Curved	5 mm	13.5 cm

The largest selection of Infiltration Systems known worldwide for convenience, reliability, and accuracy.

- EZ PUMP™
- PSI-TEC™ Infiltrator
- Big Bag 3000
- BP Cuff™

Infiltration Systems - Infiltrators

EZ PUMP™



Catalog #	Description
EZ-PUMP	Peristaltic Infiltration/Irrigation Pump
BB3000	Big Bag 3000 (500 cc - 3000 cc capacity)
PT-PINF-III	PSI-TEC III™ Infiltrator A compact system featuring easy set up and adjustable flow control. • Small footprint and ultra compact design • Powerful micro pump delivering open flow rate of 600 ml/minute.
BP CUFF	BP Cuff™ 1000 ml Unit Complete

Infiltration Systems - Accessories



Catalog #	Description	Quantity
BP CUFF-G	Pressure Gauge 0-760 mm Hg	EA
BP CUFF-B	Squeeze Bulb, Male Luer Lock & 4-way Stopcock	EA
BP CUFF-E	Extension for 3-Liter Bag	EA



- Easy to disassemble and clean
- Snug Hub™ luer lock fitting
- LAMIS™ cannulae have added length and spiralling perforations
- Infiltration flow control at the surgeons fingertip

Infiltration Systems - Handles

Catalog #	Description	Quantity
HUN-HAN	Hunstad™ Infiltration Handle With Luer Lock Fitting	EA
HUN-HAN-S	Hunstad™ Infiltration Handle w/Spring	EA
HUN-SPISTON	Hunstad™ Spring Handle Piston	EA
HUN-NPISTON	Hunstad™ Handle New Piston	EA
HUN-N-RINGS	Hunstad™ Handle Ring Kit	EA
HUN-S-O-RING	Hunstad™ Spring Loaded "O" Ring Replacement	2/pkg
HUN-TOOL	Hunstad™ "O" Ring Insertion Tool	EA
HUN-LUBE	"O" Ring Lubricant (Bottle)	EA
INF-HAN-L	Infiltration Handle with Luer Lock Fitting	EA



Infiltration Systems - Cannulae

	Catalog #	Diameter	Length		Catalog #	O.D.	Length	
Hunstad™	BN1223H	12 ga	23 cm		BN1206	12 ga	15 cm	
	BN1230H	12 ga	30 cm		BN1230	12 ga	30 cm	
	BN1435H	14 ga	35 cm		BN1235	12 ga	35 cm	
	BN1620H	16 ga	20 cm		BN1240	12 ga	40 cm	
LAMIS™ Spatula	BNSP1206	12 ga	15 cm		BN1406	14 ga	15 cm	
	BNSP1406	14 ga	15 cm		BN1423	14 ga	23 cm	
Sieman Infiltration	BNSP1230-C	12 ga	30 cm		BN1430	14 ga	30 cm	
	BNSP1412-C	14 ga	12 cm		BN1606	16 ga	15 cm	
						NWRENCH		
						Cannula Wrench		

Designed by Dr. Sydney Coleman and perfected in clinical use through hundreds of procedures, our innovative instrumentation offers everything you need for autologus tissue transfer.

Microinjection - Coleman™ Microinjection Cannulae



Coleman™ Style I



Coleman™ Style II



Coleman™ Style III



Coleman™ Aspiration Cannulae



Coleman™ "V" Dissector Cannulae

Catalog #	Description	Size
COL-ASPI	Aspiration Cannula	15 cm
COL-ASPIC	Curved Aspiration Cannula	15 cm
COL-ASPB	Aspiration Cannula, Body	23 cm
COL-ASPBC	Curved Aspiration Cannula, Body	23 cm
COL-I7	Coleman™ Infiltration Cannula Style I	7 cm
COL-I9	Coleman™ Infiltration Cannula Style I	9 cm
COL-I14B	Coleman™ Infiltration Cannula Style I - for Body	14 ga x 15 cm
COL-I16B	Coleman™ Infiltration Cannula Style I - for Body	16 ga x 15 cm
COL-I16BC	Coleman™ Curved Infiltration Cannula Style I - for Body	16 ga x 15 cm
COL-I17	Coleman™ Infiltration Cannula Style II	7 cm
COL-I19	Coleman™ Infiltration Cannula Style II	9 cm
COL-I17C	Coleman™ Curved Infiltration Cannula Style II	7 cm
COL-I19S	Coleman™ "S" Infiltration Cannula Style II	9 cm
COL-III7	Coleman™ Infiltration Cannula Style III	7 cm
COL-III9	Coleman™ Infiltration Cannula Style III	9 cm
COL-I9CC	Coleman™ Concave Infiltration Cannula Style I	9 cm
COL-II9CC	Coleman™ Concave Infiltration Cannula Style II	9 cm
COL-III9CC	Coleman™ Concave Infiltration Cannula Style III	9 cm
COL-I9CV	Coleman™ Convex Infiltration Cannula Style I	9 cm
COL-II9CV	Coleman™ Convex Infiltration Cannula Style II	9 cm
COL-III9CV	Coleman™ Convex Infiltration Cannula Style III	9 cm
COL-V	Coleman™ "V" Dissector	7 cm
COL-V149	Coleman™ "V" Dissector	14 ga x 9 cm
COL-V12B	Coleman™ "V" Dissector	12 ga x 15 cm
COL-V14B	Coleman™ "V" Dissector	14 ga x 15 cm
COL-STYLET	Coleman™ Stylet	
COL-MINI I-K	Coleman™ Stylet Mini I Kit	19 ga x 5 cm
COL-MINI I-S	Coleman™ Stylet Mini I	
COL-MINI II-K	Coleman™ Stylet Mini II Kit	20 ga x 3.175 cm
COL-MINI II-S	Coleman™ Stylet Mini II	
COL-1223C	Coleman™ Curved Irrigation Cannula	16 ga x 15 cm

Microinjection - Coleman™ Microinjection Accessories

Medlite Centrifuge offers precision with timed controlled processing.



Catalog #	Description	Quantity
COL-ANADT	Coleman™ Adapters	10/Box
COL-RACK	Autoclavable Syringe Rack	EA
2580	Centrifuge, Medilite, 110 V	EA
2581	Centrifuge, Medilite, 220 V	EA
MS-TUBE	Extra Tube for Centrifuge	EA
MS-ROTOR	Extra Rotor for Centrifuge	EA
COL-LLCAP	Coleman™ Luer Lock Caps, Sterile – 6/Pkg	25 Pkg/Box
B9628	1 cc BD Luer Lock Syringes, Sterile	10/Box
B9604	10 cc BD Luer Lock Syringes, Sterile	100/Box

- The Vida™ filter is easy and simple to use
- Microinjection accessories for a variety of tissue transfer techniques

Microinjection - Microinfiltration Instrumentation



Catalog #	Description	Quantity
LL-LL12	Luer Lock to Luer Lock Transfer System	12 cm
VACLOK-10	10cc Auto Lock Luer Lock Syringe	10/Box
MICRO-HAN	Luer Lock Handle Adapter	
CCTRAP-80	80cc Lukens [®] Trap, Sterile	10/Box
ST-10	Vida™ Filter	10/Box
ST-20	Vida™ Filter	10/Box
ST-60	Vida™ Filter	10/Box
V16-6	Vida™ Microinjector Luer Lock Cannula	16 ga x 6 cm
V16-8	Vida™ Microinjector Luer Lock Cannula	16 ga x 8 cm
V16-10	Vida™ Microinjector Luer Lock Cannula	16 ga x 10 cm
V16-12	Vida™ Microinjector Luer Lock Cannula	16 ga x 12 cm
V16-14	Vida™ Microinjector Luer Lock Cannula	16 ga x 14 cm
V17-5	Vida™ Microinjector Luer Lock Cannula	17 ga x 5 cm
V17-7	Vida™ Microinjector Luer Lock Cannula	17 ga x 7 cm
V16-6F	Vida™ Microinjector Luer Lock Flattened Cannula	16 ga x 6 cm
V16-8F	Vida™ Microinjector Luer Lock Flattened Cannula	16 ga x 8 cm
V16-6N	Vida™ Microinjector Luer Lock Nasal Cannula	16 ga x 6 cm
VB12-12	Vida™ Microinjector Luer Lock Butterfly Cannula	12 ga x 12 cm
VB12-15	Vida™ Microinjector Luer Lock Butterfly Cannula	12 ga x 15 cm
VB14-7F	Vida™ Microinjector Luer Lock Butterfly Flattened Cannula	14 ga x 7 cm
VB14-9F	Vida™ Microinjector Luer Lock Butterfly Flattened Cannula	14 ga x 9 cm
VB14-12F	Vida™ Microinjector Luer Lock Butterfly Flattened Cannula	14 ga x 12 cm
VB14-15F	Vida™ Microinjector Luer Lock Butterfly Flattened Cannula	14 ga x 15 cm
COL/DONO-I6	Donofrio™ Infiltration Cannula	18 ga x 6 cm
COL/DONO-STYLET	Donofrio™ Stylet	
COL/ROB-I14B	Roberts Infiltration Cannula	14 ga x 20 cm
ROB-RACK	60cc Syringe Rack	